

PromoStandards Integration Guide



Version 4: 04/29/2022

Chapter 1 Overview	3
Chapter 2 Warehouses	3
Chapter 3 Endpoints & WSDL Files.....	4
Chapter 4 Order Status.....	7
Chapter 5 Inventory	8
Chapter 6 Order Shipment Notification.....	8
Chapter 7 Product Data	8
Chapter 8 Media Content	9
Chapter 9 Product Pricing & Configuration.....	9
Chapter 10 Invoice	10
Chapter 11 Purchase Order	10
Chapter 12 Good to Know	13
Chapter 13 Who to Contact	14
Appendices.....	14
Appendix A.....	14
Appendix B.....	15
Appendix C.....	15
Appendix D	16
Appendix E.....	17
Appendix F	17
Appendix G	18
Appendix H	19
Appendix I.....	20
Appendix J.....	20
Appendix K.....	21
Appendix L	22
Appendix M	23
Appendix N	24
Appendix O	25
Appendix P.....	25
Appendix Q.....	29

Chapter 1 Overview

This documentation is intended for customers of Broder Bros. Co., operating as alphabroder and alphabroder Canada. This document contains general information and instructions for utilizing PromoStandards services with Broder Bros., Co. Using alphabroder and alphabroder Canada PromoStandards requires an account with alphabroder and/or alphabroder Canada. PromoStandards credentials are web logins associated with your account number.

What is PromoStandards? Open standards were created by industry participants to improve the customer experience. All specifications are built using the Simple Object Access Protocol (SOAP) over HTTPS as the foundation for the web services protocol stack to provide a standards-based secure form of communication. Chapter 3 of this guide contains WSDLs for all the Prom Standards Services. Each WSDL contains our required parameters. For more information about Prom Standards please visit <https://promostandards.org/> and create an account by clicking the “Join us” button. Questions can be directed to edisupport@alphabroder.com.

Credentials: Existing alphabroder and alphabroder Canada web login credentials are valid and functional for their respective PromoStandards endpoints. Web credentials can be verified by logging in to <https://alphabroder.com>, or for Canadian customers, <https://alphabroder.ca>. New credentials can be requested on our website or by reaching out to websupport@alphabroder.com in the US and canadawebsupport@alphabroder.com in Canada.

Maintenance: alphabroder performs periodic restarts and routine maintenance between 3:30 and 4:00 AM every Monday through Saturday. During these windows, you will not be able to issue new POs and the performance of all other services may be negatively affected.

Testing: You may use the test harness <https://services.promostandards.org/webserviceValidator/home>, we also offer you access to our devservices.

Chapter 2 Warehouses

The following list is the city, state (warehouse code) for our warehouses. List as of 01/01/2022.

- 1 | Fresno, CA 93725 (CN)
- 2 | Kansas City, KS 66111 (KC)
- 3 | Dallas, TX 75261 (TD)
- 4 | Chicago, IL 60490 (CC)
- 5 | Atlanta, GA 30096 (GD)
- 6 | Orlando, FL 32824 (FO)
- 7 | Harrisburg, PA 17339 (PH)
- 8 | Middleboro, MA 02346 (MA)
- 9 | Richmond Hill, Ontario L4B 0B4 (RH) - *only available by calling services.ca*

We also have numerous drop ship warehouses. These warehouses are vendor warehouses that drop ship directly to you or your customer. For more information about our warehouses and full addresses, visit our websites.

Chapter 3 Endpoint & WSDL Files

Service	Version	Production Endpoint	Production WSDL
US			
Order Status	1.0.0	https://services.alphabroder.com/orderStatus-1-0/service/index.php	https://services.alphabroder.com/orderStatus-1-0/wSDL/OrderStatusService.wsdl
Inventory	1.2.1	https://services.alphabroder.com/inventory/InventoryService.svc	https://services.alphabroder.com/inventory/WSDL/v1/InventoryService.wsdl
Inventory	2.0.0	https://services.alphabroder.com/inventory-2-0/service/index.php	https://services.alphabroder.com/inventory-2-0/wSDL/InventoryService.wsdl
Order Shipment Notification	1.0.0	https://services.alphabroder.com/OSN/OrderShipmentNotification.svc	https://services.alphabroder.com/OSN/WSDL/1.0.0/OrderShipmentNotificationService.wsdl
Product Data	1.0.0	https://services.alphabroder.com/productData/service/index.php	https://services.alphabroder.com/productData/wSDL/ProductDataService.wsdl
Product Data	2.0.0	https://services.alphabroder.com/productData2/service/index.php	https://services.alphabroder.com/productData2/wSDL/ProductDataService.wsdl
Media Content	1.1.0	https://services.alphabroder.com/media/service/index.php	https://services.alphabroder.com/media/wSDL/MediaContentService.wsdl
Product Pricing and Configuration	1.0.0	https://services.alphabroder.com/productConfig/service/index.php	https://services.alphabroder.com/productConfig/wSDL/PricingAndConfiguration.wsdl
Invoice	1.0.0	https://services.alphabroder.com/invoice2/service/index.php	https://services.alphabroder.com/invoice2/wSDL/InvoiceService.wsdl
Purchase Order	1.0.0	https://services.alphabroder.com/purchaseOrder/service/index.php	https://services.alphabroder.com/purchaseOrder/wSDL/POService.wsdl
CA			
Order Status	1.0.0	https://services.alphabroder.ca/orderStatus-1-0/service/index.php	https://services.alphabroder.ca/orderStatus-1-0/wSDL/OrderStatusService.wsdl
Inventory	1.2.1	https://services.alphabroder.ca/inventory/InventoryService.svc	https://services.alphabroder.ca/inventory/WSDL/v1/InventoryService.wsdl

Inventory	2.0.0	https://services.alphabroder.ca/inventory-2-0/service/index.php	https://services.alphabroder.ca/inventory-2-0/wsd/InventoryService.wsdl
Order Shipment Notification	1.0.0	https://services.alphabroder.ca/OSN/OrderShipmentNotification.svc	https://services.alphabroder.ca/OSN/WSDL/1.0.0/OrderShipmentNotificationService.wsdl
Product Data	1.0.0	https://services.alphabroder.ca/productData/service/index.php	https://services.alphabroder.ca/productData/wsd/ProductDataService.wsdl
Product Data	2.0.0	https://services.alphabroder.ca/productData2/service/index.php	https://services.alphabroder.ca/productData2/wsd/ProductDataService.wsdl
Media Content	1.1.0	https://services.alphabroder.ca/media/service/index.php	https://services.alphabroder.ca/media/wsd/MediaContentService.wsdl
Product Pricing and Configuration	1.0.0	https://services.alphabroder.ca/productConfig/service/index.php	https://services.alphabroder.ca/productConfig/wsd/PricingAndConfiguration.wsdl
Invoice	1.0.0	https://services.alphabroder.ca/invoice2/service/index.php	https://services.alphabroder.ca/invoice2/wsd/InvoiceService.wsdl
Purchase Order	1.0.0	https://services.alphabroder.ca/purchaseOrder/service/index.php	https://services.alphabroder.ca/purchaseOrder/wsd/POService.wsdl
US		Development Endpoint	Development WSDL
Order Status	1.0.0	https://devservices.alphabroder.com/orderStatus-1-0/service/index.php	https://devservices.alphabroder.com/orderStatus-1-0/wsd/OrderStatusService.wsdl
Inventory	1.2.1	https://devservices.alphabroder.com/inventory/InventoryService.svc	https://devservices.alphabroder.com/inventory/WSDL/v1/InventoryService.wsdl
Inventory	2.0.0	https://devservices.alphabroder.com/inventory-2-0/service/index.php	https://devservices.alphabroder.com/inventory-2-0/wsd/InventoryService.wsdl
Order Shipment Notification	1.0.0	https://devservices.alphabroder.com/OSN/OrderShipmentNotification.svc	https://devservices.alphabroder.com/OSN/WSDL/1.0.0/OrderShipmentNotificationService.wsdl
Product Data	1.0.0	https://devservices.alphabroder.com/productData/service/index.php	https://devservices.alphabroder.com/productData/wsd/ProductDataService.wsdl
Product Data	2.0.0	https://devservices.alphabroder.com/productData2/service/index.php	https://devservices.alphabroder.com/productData2/wsd/ProductDataService.wsdl

Media Content	1.1.0	https://devservices.alphabroder.com/media/service/index.php	https://devservices.alphabroder.com/media/wsdl/MediaContentService.wsdl
Product Pricing and Configuration	1.0.0	https://devservices.alphabroder.com/productConfig/service/index.php	https://devservices.alphabroder.com/productConfig/wsdl/PricingAndConfiguration.wsdl
Inventory	2.0.0	https://devservices.alphabroder.com/inventory-2-0/service/index.php	https://devservices.alphabroder.com/inventory-2-0/wsdl/InventoryService.wsdl
Invoice	1.0.0	https://devservices.alphabroder.com/invoice2/service/index.php	https://devservices.alphabroder.com/invoice2/wsdl/InvoiceService.wsdl
Purchase Order	1.0.0	https://devservices.alphabroder.com/purchaseOrder/service/index.php	https://devservices.alphabroder.com/purchaseOrder/wsdl/POService.wsdl
CA			
Order Status	1.0.0	https://devservices.alphabroder.ca/orderStatus-1-0/service/index.php	https://devservices.alphabroder.ca/orderStatus-1-0/wsdl/OrderStatusService.wsdl
Inventory	1.2.1	https://devservices.alphabroder.ca/inventory/InventoryService.svc	https://devservices.alphabroder.ca/inventory/WSDL/v1/InventoryService.wsdl
Inventory	2.0.0	https://devservices.alphabroder.ca/inventory-2-0/service/index.php	https://devservices.alphabroder.ca/inventory-2-0/wsdl/InventoryService.wsdl
Order Shipment Notification	1.0.0	https://devservices.alphabroder.ca/OSN/OrderShipmentNotification.svc	https://devservices.alphabroder.ca/OSN/WSDL/1.0.0/OrderShipmentNotificationService.wsdl
Product Data	1.0.0	https://devservices.alphabroder.ca/productData/service/index.php	https://devservices.alphabroder.ca/productData/wsdl/ProductDataService.wsdl
Product Data	2.0.0	https://devservices.alphabroder.ca/productData2/service/index.php	https://devservices.alphabroder.ca/productData2/wsdl/ProductDataService.wsdl
Media Content	1.1.0	https://devservices.alphabroder.ca/media/service/index.php	https://devservices.alphabroder.ca/media/wsdl/MediaContentService.wsdl
Product Pricing and Configuration	1.0.0	https://devservices.alphabroder.ca/productConfig/service/index.php	https://devservices.alphabroder.ca/productConfig/wsdl/PricingAndConfiguration.wsdl

Inventory	2.0.0	https://devservices.alphabroder.ca/inventory-2-0/service/index.php	https://devservices.alphabroder.ca/inventory-2-0/wsd/InventoryService.wsdl
Invoice	1.0.0	https://devservices.alphabroder.ca/invoice2/service/index.php	https://devservices.alphabroder.ca/invoice2/wsd/InvoiceService.wsdl
Purchase Order	1.0.0	https://devservices.alphabroder.ca/purchaseOrder/service/index.php	https://devservices.alphabroder.ca/purchaseOrder/wsd/POService.wsdl

Chapter 4 **Order Status**

v1.0.0 – Order Status data is provided in real time.

getOrderStatusDetails

This request returns order status details in the form of 10 different Status Ids. Order statuses are queried using the Query Type values listed below. Any order from the past 90 days may be queried. See Appendix A for parameters and samples.

Query Type	Name	Description
1	PO Search	Query based on customer-provided purchase order number
2	Order # Search	Query based on alphabroder order number
3	Last Update Search	Query based on all orders with an update time greater than the value specified in the statusTimeStamp
4	All open search	Query based on all orders that currently have a status other than "complete" or "canceled"

getOrderStatusTypes

This request returns a list of all Status Ids supported by alphabroder. See Appendix B for parameters and samples.

Status Id	Description	alphabroder Status
10	Order Received	Received
20	Order Confirmed	Order Confirmed
30	Pre-Production	Pre-Production
40	General Hold	Open Order
43	Art Hold	Deco Waiting on Customer
44	Back Order Hold	On Backorder
60	In Production	In D/C, In Picking

70	In Storage	Ready to PU
80	Complete	Shipped, Invoiced
99	Canceled	Cancelled Order

Chapter 5 **Inventory**

v2.0.0 – Inventory data is provided hourly.

getInventoryLevels

This request returns inventory levels and future availability for queried products, broken out by size, color, and warehouse locations. Current inventory quantities, as well as future availability quantities and date estimates, are also returned. See Appendix C for parameters and samples.

GetFilterValues

This request returns all available sizes and colors for a queried product. See Appendix D for parameters and samples.

Chapter 6 **Order Shipment Notification**

v1.0.0 - OSN data is provided in real time.

getOrderShipmentNotification

This request returns shipment details like tracking numbers and ship dates. Shipment details are requested using the Query Type values listed below. Any order from the past 90 days may be queried. See Appendix E for parameters and samples.

Query Type	Name	Description
1	PO Search	Query based on customer-provided purchase order number
2	Order # Search	Query based on alphabroder assigned order number
3	Ship Date Search	Query based on all shipments with a shipment date greater than the value specified in the shipmentDateTimeStamp

Chapter 7 **Product Data**

v2.0.0 – Product Data is refreshed every 12 hours to reflect our latest updates.

getProduct

This request returns product detail data for queried products, including descriptions, categories, sizes, and colors. This service does not return pricing information. See Appendix F for parameters and samples.

GetProductCloseOut

This request returns the product details for all items in Closeout status, with the same format as the getProduct service. See Appendix G for parameters and samples.

GetProductSellable

This request returns a list of all active Product and Part Ids for alphabroder. See Appendix H for parameters and samples.

GetProductDateModified

This request returns a list of Product Ids and optional Part Ids for all items which have changed since the date supplied in the request. Requests can be made up to 8 days in the past.

Chapter 8 Media Content

v1.1.0 – Media Content data is refreshed every 12 hours to reflect our latest updates.

getMediaContent

This request returns all media content for queried products according to the mediaType field. “Image”, “Video”, and “Document” are the mediaType values we support. We currently do not support the Audio mediaType request value. See Appendix I for parameters and samples.

getMediaDateModified

Not supported at this time.

Chapter 9 Product Pricing & Configuration

v1.0.0 - Pricing data is refreshed every 6 hours to reflect our latest updates.

getConfigurationAndPricing

This request returns price and configuration data according to the priceType field outlined below. See Appendix J for parameters and samples.

Price Type	Description
Customer	Lowest available price including sales
List	MSRP price
Net	Not supported at this time

getAvailableCharges

This request returns a list of charges and information on how to calculate charges. It helps populate a database of charge types and design logic to calculate charges. To query all available charges, leave the productId and partId fields blank. See Appendix K for parameters and samples.

getAvailableLocations

This request returns all supported decoration locations for queried products. See Appendix L for parameters and samples.

getDecorationColors

This request returns a list of decoration colors for queried product and location Id. See Appendix M for parameters and samples.

getFobPoints

This request returns all available warehouse and dropship locations and Ids for queried products. See Appendix N for parameters and samples.

Chapter 10 Invoice

V1.0.0 – Invoice data is provided in real time.

getInvoices

This request returns invoice data using one of the Query Types listed below. See Appendix O for parameters and samples.

Query Type	Name	Description
1	PO Search	Search for invoices by purchase order number
2	Invoice Search	Search for invoice by invoice number
3	Date Search	Search for invoices with an invoice date specified by the requestedDate
4	Available Date Time Search	Search for invoices that were made available by a date time greater than the value specified by availableTimeStamp

Chapter 11 Purchase Order

v1.0.0 – PO submissions take place in real time.

sendPO

This request is used to submit orders to alphabroder. We currently support three values in the orderType field to distinguish between blank, decorated, and sample orders, populated with “Blank”, “Configured” or “Sample”. For decorated orders, locationId-‘105’ can be used for any location not returned by getAvailableLocations. We recommend testing using our development endpoints prior to

live order submission. Carrier formatting is detailed below. See Appendix P for blank parameters and samples, and Appendix Q for decorated parameters.

getSupportedOrderTypes

This request returns all valid orderType values for the sendPO service.

PO Artwork Requirements:

Screen print- We require vector artwork in the Pantone colors you want for your order. There will be a PMS matching fee for any colors that are not part of our standard ink palate.

Embroidery- We require a DST tape or a high-resolution image, that will be used to create a DST tape. Standard digitizing charges apply for DST creation.

Heatseal- We require vector artwork in the Pantone colors you want for your order.

When submitting a decoration order, artwork files can be submitted in the fileName and fileLocation field using any valid public image URL that matches the specific requirements of the order.

```
<ns2:fileName>123.png </ns2:fileName>
<ns2:fileLocation> https://www.alphabroder.com</ns2:fileLocation>
```

alphabroder Carriers

The following is a list of common carriers to be used when submitting orders to alphabroder. Please use the Acceptable Carrier Format below in submissions. Contact us if you do not see the carrier/service level that you wanted to ship via. Please note that certain carrier/service levels do require prior approval.

US Carriers (See Acceptable Carrier Formats Below)	Description
UPS-Surface	UPS Ground
UPS-Blue	UPS 2 Day
UPS-Orange 3day	UPS 3 Day
UPS-Red	UPS 1 Day
UPS-RED.8:30am	UPS 1 Day 8:30 AM
UPS-Sat.Dlvry.	UPS Saturday

Acceptable Carrier Formats:

```
<shar:FreightDetails>
  <shar:carrier>UPS-Surface</shar:carrier>
</shar:FreightDetails>
```

```
<shar:FreightDetails>
  <shar:carrier>UPS</shar:carrier>
  <shar:service>Surface</shar:service>
```

</shar:FreightDetails>

CA Carriers (See Acceptable Carrier Formats Below)	Description
UPS Standard GD	UPS Standard Ground
UPS EXP Saver	UPS Express Saver
UPS ExpEarlyAM	UPSExpress Early AM-Red 8:30
UPS Express	UPS Exp ND - UPS RED
UPS Sat Dlvry	UPS Saturday Delivery

Acceptable Carrier Formats:

```

<shar:FreightDetails>
  <shar:carrier>UPS Standard GD</shar:carrier>
</shar:FreightDetails>
  
```

```

<shar:FreightDetails>
  <shar:carrier>UPS</shar:carrier>
  <shar:service>Standard GD</shar:service>
</shar:FreightDetails>
  
```

Standard Screen Print Ink Colors

colorId	Description
4927	Black
4928	Blue-Reflex - Reflex Blue C
4929	Blue-Process - Process Blue C
4930	Teal - 327 C
4931	Green-Medium - 347 C
4932	Blue-Navy - 282 C
4933	Green-Dark - 343 C
4934	Purple - 268 C
4935	Burgundy - 202 C
4936	Gold-Bright (Metallic) - 873 C
4937	Gray - 423 C
4938	Silver (Metallic) - 877 C
4939	Gold (Metallic) - 874 C
4940	Green-Lime - 375 C
4941	Gray - Cool Gray 4 C
4942	Red - 199 C
4943	Red - 485 C

4944	Pink-Hot - 225 C
4945	Yellow - 102 C
4946	Orange - 021 C
4947	Yellow-Gold-Athletic - 123 C
4948	White

Chapter 12 **Good to Know**

Authentication Credentials Failed- Ensure that you are using valid web credentials by logging into <https://alphabroder.com> or for Canadian customers, <https://alphabroder.ca>. If not, you can create new credentials on our website or by reaching out to websupport@alphabroder.com, in the US and Canada, canadawebsupport@alphabroder.com

Product Id Not Found- A list of our active Product Ids can be found in our AllDBInfoALP_Prod file at <https://www.alphabroder.com/product-info-list> with the heading, “Product Data Files”.

Policies.ratelimit.violation - We ask our users to space out their requests by at least one second to pass our rate limiting standards.

alphabroder Definitions

Part Id- alphabroder item numbers or GTINs (For example: B11107717)

Product Id- alphabroder style codes (For example: G200)

General Error Codes

Code	Description
100	ID (customerID) not found
104	This account is unauthorized to use this service. Please contact the service provider
105	Authentication Credentials failed
110	Authentication Credentials required
115	wsVersion not found
120	The following field(s) are required [Comma Delimited field names]
125	Not Supported: [details]
130	Product Id not found
135	Product color not found
140	Part Id not found
145	Part color not found

150	Part size not found
155	Invalid Date Format
160	No Results Found
999	General Error – Contact the System Service Provider

Chapter 13 **Who to Contact**

General questions regarding your account including pricing, freight, and carriers should continue to be directed to your salesperson or customer service agent. If you require assistance creating an account on our website, username/password assistance, or general website questions, in the U.S, please contact websupport@alphabroder.com and in Canada canadawebsupport@alphabroder.com. Questions regarding images should be directed to images@alphabroder.com. Technical questions with any of the services, to be added or removed from our email distribution list, please contact edisupport@alphabroder.com.

Appendices

Appendix A

getOrderStatusDetails Parameters

Object	Field	Example
GetOrderStatusDetailsRequest	wsVersion	1.0.0
GetOrderStatusDetailsRequest	id	yourweblogin
GetOrderStatusDetailsRequest	password	yourwebpw
GetOrderStatusDetailsRequest	queryType	1
GetOrderStatusDetailsRequest	referenceNumber	3403479
GetOrderStatusDetailsRequest	statusTimeStamp*	2020-01-06

*(Field marked with * are optional)*

getOrderStatusDetails Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/OrderStatusService/1.0.0/">
<soapenv:Header/>
<soapenv:Body>
  <ns:GetOrderStatusDetailsRequest>
    <ns:wsVersion>1.0.0</ns:wsVersion>
    <ns:id>XXXXX</ns:id>
```

```

<ns:password>XXXXX</ns:password>
<ns:queryType>1</ns:queryType>
<ns:referenceNumber>2367374</ns:referenceNumber>
<ns:statusTimeStamp></ns:statusTimeStamp>
</ns:GetOrderStatusDetailsRequest>
</soapenv:Body>
</soapenv:Envelope>

```

Appendix B

getOrderStatusTypes Parameters

Object	Field	Example
GetOrderStatusTypesRequest	wsVersion	1.0.0
GetOrderStatusTypesRequest	id	yourweblogin
GetOrderStatusTypesRequest	password	yourwebpw

getOrderStatusDetails Sample Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/OrderStatusService/1.0.0/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetOrderStatusTypesRequest>
      <ns:wsVersion>1.0.0</ns:wsVersion>
      <ns:id>XXXXX</ns:id>
      <ns:password>XXXXX</ns:password>
    </ns:GetOrderStatusTypesRequest>
  </soapenv:Body>
</soapenv:Envelope>

```

Appendix C

getInventoryLevels Parameters

Object	Field	Example
Request	wsVersion	2.0.0
Request	id	yourweblogin
Request	password	yourwebpw
Request	productID	29M
Request	productIDtype	Supplier (or Distributor)

getInventoryLevels Sample Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/Inventory/2.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/Inventory/2.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetInventoryLevelsRequest>
      <shar:wsVersion>2.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
      <shar:productId>g200</shar:productId>
    </ns:GetInventoryLevelsRequest>
  </soapenv:Body>
</soapenv:Envelope>
  
```

Appendix D

GetFilterValues Parameters

Object	Field	Example
GetFilterValuesRequest	wsVersion	2.0.0
GetFilterValuesRequest	id	yourweblogin
GetFilterValuesRequest	password	yourwebpw
GetFilterValuesRequest	productID	29M
GetFilterValuesRequest	productIDtype	Supplier

GetFilterValues Sample Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/Inventory/2.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/Inventory/2.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetFilterValuesRequest>
      <shar:wsVersion>2.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <!--Optional:-->
      <shar:password>XXXXX</shar:password>
      <shar:productId>d100</shar:productId>
    </ns:GetFilterValuesRequest>
  </soapenv:Body>
</soapenv:Envelope>
  
```


Appendix E

getOrderShipmentNotification Parameters

Object	Field	Example
GetOrderShipmentNotificationRequest	wsVersion	1.0.0
GetOrderShipmentNotificationRequest	id	yourweblogin
GetOrderShipmentNotificationRequest	password	yourwebpw
GetOrderShipmentNotificationRequest	queryType	2
GetOrderShipmentNotificationRequest	referenceNumber	1234567
GetOrderShipmentNotificationRequest	shipmentDateTimeStamp	2019-12-23

(Field marked with * are optional)

getOrderShipmentNotification Sample Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/OrderShipmentNotificationService/1.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/OrderShipmentNotificationService/1.0.0/SharedO
bjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetOrderShipmentNotificationRequest>
      <shar:wsVersion>1.0.0</shar:wsVersion>
      <ns:id>XXXXXX</ns:id>
      <ns:password>XXXXXX</ns:password>
      <ns:queryType>1</ns:queryType>
      <!--Optional:-->
      <ns:referenceNumber>4695564</ns:referenceNumber>
      <!--Optional:-->
    </ns:GetOrderShipmentNotificationRequest>
  </soapenv:Body>
</soapenv:Envelope>
  
```

Appendix F

getProduct Parameters

Object	Field	Example
GetProductRequest	wsVersion	2.0.0
GetProductRequest	id	yourweblogin

GetProductRequest	password	yourwebpw
GetProductRequest	localizationCountry	US
GetProductRequest	localizationLanguage	en
GetProductRequest	productId	g200
GetProductRequest	partId*	B11107BN6
GetProductRequest	colorName*	Black
GetProductRequest	ApparelSizeArray*	
ApparelSize	apparelStyle*	Mens
ApparelSize	labelSize*	S

(Field marked with * are optional)

ProductId represents the alphabroder style number

PartId represents the alphabroder item number (SKU number)

getProduct Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/ProductDataService/2.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/ProductDataService/2.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetProductRequest>
      <shar:wsVersion>2.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXXX</shar:password>
      <shar:localizationCountry>US</shar:localizationCountry>
      <shar:localizationLanguage>en</shar:localizationLanguage>
      <shar:productId>G200</shar:productId>
      <shar:partId></shar:partId>
    </ns:GetProductRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

Appendix G

GetProductCloseOut Parameters

Object	Field	Example
GetProductCloseOutRequest	wsVersion	2.0.0
GetProductCloseOutRequest	id	yourweblogin

GetProductCloseOutRequest	password	yourwebpw
---------------------------	----------	-----------

GetProductCloseOut Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/ProductDataService/2.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/ProductDataService/2.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetProductCloseOutRequest>
      <shar:wsVersion>2.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
    </ns:GetProductCloseOutRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

Appendix H

GetProductSellable Parameters

Object	Field	Example
GetProductSellableRequest	wsVersion	2.0.0
GetProductSellableRequest	id	yourweblogin
GetProductSellableRequest	password	yourwebpw
GetProductSellableRequest	productId*	G500
GetProductSellableRequest	partId*	0914204A3
GetProductSellableRequest	isSellable	TRUE

GetProductSellable Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/ProductDataService/2.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/ProductDataService/2.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetProductSellableRequest>
      <shar:wsVersion>2.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
      <shar:productId></shar:productId>
      <shar:partId>g200</shar:partId>
    </ns:GetProductSellableRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

```

    <shar:isSellable>True</shar:isSellable>
  </ns:GetProductSellableRequest>
</soapenv:Body>
</soapenv:Envelope>

```

Appendix I

getMediaContent Parameters

Object	Field	Example
GetMediaContentRequest	wsVersion	1.1.0
GetMediaContentRequest	id	yourweblogin
GetMediaContentRequest	password	yourwebpw
GetMediaContentRequest	cultureName	en-US
GetMediaContentRequest	mediaType	Image
GetMediaContentRequest	productId	g200
GetMediaContentRequest	partId*	B11107000

*(Field marked with * are optional)*

getMediaContent Sample Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/MediaService/1.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/MediaService/1.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetMediaContentRequest>
      <shar:wsVersion>1.1.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
      <shar:cultureName>en-US</shar:cultureName>
      <shar:mediaType>Image</shar:mediaType>
      <shar:productId>d100</shar:productId>
    </ns:GetMediaContentRequest>
  </soapenv:Body>
</soapenv:Envelope>

```

Appendix J

getConfigurationAndPricing Parameters

Object	Field	Example
GetConfigurationAndPricingRequest	wsVersion	1.0.0
GetConfigurationAndPricingRequest	id	yourweblogin
GetConfigurationAndPricingRequest	password	yourwebpw
GetConfigurationAndPricingRequest	productId	G500
GetConfigurationAndPricingRequest	partId*	0914204A3
GetConfigurationAndPricingRequest	currency	USD
GetConfigurationAndPricingRequest	fobId	CC
GetConfigurationAndPricingRequest	priceType	Customer (List, Net)
GetConfigurationAndPricingRequest	localizationCountry	US
GetConfigurationAndPricingRequest	localizationLanguage	en
GetConfigurationAndPricingRequest	configurationType	Decorated (Blank)

(Field marked with * are optional)

getConfigurationAndPricing Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetConfigurationAndPricingRequest>
      <shar:wsVersion>1.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
      <shar:productId>d100</shar:productId>
      <shar:partId></shar:partId>
      <shar:currency>USD</shar:currency>
      <shar:fobId>CC</shar:fobId>
      <shar:priceType>Customer</shar:priceType>
      <shar:localizationCountry>US</shar:localizationCountry>
      <shar:localizationLanguage>en</shar:localizationLanguage>
      <shar:configurationType>Blank</shar:configurationType>
    </ns:GetConfigurationAndPricingRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

Appendix K

getAvailableCharges Parameters

Object	Field	Example
GetAvailableChargesRequest	wsVersion	1.0.0
GetAvailableChargesRequest	id	yourweblogin
GetAvailableChargesRequest	password	yourwebpw
GetAvailableChargesRequest	productId	G500
GetAvailableChargesRequest	partId*	B11107000
GetAvailableChargesRequest	localizationCountry	US
GetAvailableChargesRequest	localizationLanguage	en

getAvailableCharges Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetAvailableChargesRequest>
      <shar:wsVersion>1.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
      <shar:productId>g200</shar:productId>
      <shar:localizationCountry>US</shar:localizationCountry>
      <shar:localizationLanguage>en</shar:localizationLanguage>
    </ns:GetAvailableChargesRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

Appendix L

getAvailableLocations Parameters

Object	Field	Example
GetAvailableLocationsRequest	wsVersion	1.0.0
GetAvailableLocationsRequest	id	yourweblogin
GetAvailableLocationsRequest	password	yourwebpw
GetAvailableLocationsRequest	productId	G500
GetAvailableLocationsRequest	partId*	B11107000

GetAvailableLocationsRequest	localizationCountry	US
GetAvailableLocationsRequest	localizationLanguage	en

getAvailableLocations Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetAvailableLocationsRequest>
      <shar:wsVersion>1.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
      <shar:productId>g200</shar:productId>
      <shar:localizationCountry>US</shar:localizationCountry>
      <shar:localizationLanguage>en</shar:localizationLanguage>
    </ns:GetAvailableLocationsRequest>
  </soapenv:Body>
</soapenv:Envelope>
```

Appendix M

getDecorationColors Parameters

Object	Field	Example
GetDecorationColorsRequest	wsVersion	1.0.0
GetDecorationColorsRequest	id	yourweblogin
GetDecorationColorsRequest	password	yourwebpw
GetDecorationColorsRequest	locationId	50
GetDecorationColorsRequest	productId	G500
GetDecorationColorsRequest	partId*	B11107000
GetDecorationColorsRequest	decorationId*	3
GetDecorationColorsRequest	localizationCountry	US
GetDecorationColorsRequest	localizationLanguage	en

getDecorationColors Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetDecorationColorsRequest>
      <shar:wsVersion>1.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
      <shar:locationId>50</shar:locationId>
      <shar:productId>g200</shar:productId>
      <!--Optional:-->
      <shar:decorationId></shar:decorationId>
      <shar:localizationCountry>US</shar:localizationCountry>
      <shar:localizationLanguage>en</shar:localizationLanguage>
    </ns:GetDecorationColorsRequest>
```

Appendix N

getFobPoints Parameters

Object	Field	Example
GetFobPointsRequest	wsVersion	1.0.0
GetFobPointsRequest	id	yourweblogin
GetFobPointsRequest	password	yourwebpw
GetFobPointsRequest	productId	G500
GetFobPointsRequest	partId*	B11107000
GetFobPointsRequest	localizationCountry	US
GetFobPointsRequest	localizationLanguage	en

getFobPoints Sample Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/PricingAndConfiguration/1.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetFobPointsRequest>
      <shar:wsVersion>1.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
```



```

    <shar:productId>g200</shar:productId>
    <shar:localizationCountry>US</shar:localizationCountry>
    <shar:localizationLanguage>En</shar:localizationLanguage>
  </ns:GetFobPointsRequest>
</soapenv:Body>
</soapenv:Envelope>

```

Appendix O

getInvoices Parameters

Object	Field	Example
GetInvoicesRequest	wsVersion	1.0.0
GetInvoicesRequest	id	yourweblogin
GetInvoicesRequest	password	yourwebpw
GetInvoicesRequest	queryType	1
GetInvoicesRequest	referenceNumber	000customerPO
GetInvoicesRequest	RequestedDate*	2021-02-25

*(Field marked with * are optional)*

getInvoices Sample Request

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/Invoice/1.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/Invoice/1.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>
    <ns:GetInvoicesRequest>
      <shar:wsVersion>1.0.0</shar:wsVersion>
      <shar:id>XXXXX</shar:id>
      <shar:password>XXXXX</shar:password>
      <shar:queryType>3</shar:queryType>
      <shar:referenceNumber></shar:referenceNumber>
      <shar:requestedDate>2021-05-10</shar:requestedDate>
    </ns:GetInvoicesRequest>
  </soapenv:Body>
</soapenv:Envelope>

```

Appendix P

sendPO Parameters (Blank)

Object	Field	Example
sendPORequest	wsVersion	1.0.0
sendPORequest	id	yourweblogin
sendPORequest	password	yourwebpw
sendPORequest	PO	
PO	orderType	Blank
PO	orderNumber	12345
PO	orderDate	2019-05-19
PO	totalAmount	100
PO	rush	FALSE
PO	currency	USD
PO	termsAndConditions	Terms
PO	ShipmentArray	
Shipments	ShipTo	
ShipTo	customerPickup	FALSE
ShipTo	shipmentId	1
ShipTo	ContactDetails	
ContactDetails	attentionTo	Jane Doe
ContactDetails	companyName	Test Company
ContactDetails	address1	6 Neshaminy Interplex Dr
ContactDetails	address2	Suite 12
ContactDetails	city	Treose
ContactDetails	region	Pa
ContactDetails	postalCode	19053
Shipments	packingListRequired	FALSE
Shipments	blindShip	FALSE
Shipments	allowConsolidation	FALSE

Shipments	comments*	
Shipments	FreightDetails	
FreightDetails	carrier	UPS-Surface
PO	LineItemArray	
LineItem	lineNumber	1
LineItem	description	First Line Item
LineItem	lineType	New
LineItem	fobld*	CC
LineItem	ToleranceDetails	
ToleranceDetails	tolerance	AllowUnderrun
LineItem	allowPartialShipments	TRUE
LineItem	lineItemTotal	100
LineItem	productId*	G500
LineItem	PartArray	
Part	partGroup	1
Part	partId	B000A4574
Part	customerSupplied	FALSE
Part	Quantity	
Quantity	value	10
Quantity	uom	EA

*(Field marked with * are optional)*

If shipment comments are populated with 1 day ship, 2 day ship, 3 day ship, etc.; the order line will only evaluate order placement for the locations that are able to arrive within the specified days in transit. If the fobld is specified, then that is the only location that will ship that line item.

sendPO Sample Request (Blank)

```

<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/"
xmlns:ns="http://www.promostandards.org/WSDL/PO/1.0.0/"
xmlns:shar="http://www.promostandards.org/WSDL/PO/1.0.0/SharedObjects/">
  <soapenv:Header/>
  <soapenv:Body>

```

```
<ns:SendPORequest>
  <shar:wsVersion>1.0.0</shar:wsVersion>
  <shar:id>XXXXX</shar:id>
  <!--Optional:-->
  <shar:password>XXXXX</shar:password>
  <ns:PO>
    <ns:orderType>Blank</ns:orderType>
    <ns:orderNumber>12345678</ns:orderNumber>
    <ns:orderDate>2021-07-07</ns:orderDate>
    <ns:totalAmount>0</ns:totalAmount>
    <ns:paymentTerms></ns:paymentTerms>
    <ns:rush>FALSE</ns:rush>
    <shar:currency>USD</shar:currency>
    <ns:ShipmentArray>
      <shar:Shipment>
        <shar:comments>1</shar:comments>
        <shar:allowConsolidation>TRUE</shar:allowConsolidation>
          <shar:blindShip>FALSE</shar:blindShip>
        <shar:packingListRequired>FALSE</shar:packingListRequired>
        <shar:FreightDetails>
          <shar:carrier>UPS</shar:carrier>
          <shar:service>Surface</shar:service>
        </shar:FreightDetails>
        <shar:ShipTo>
          <shar:shipmentId>1</shar:shipmentId>
          <shar:customerPickup>FALSE</shar:customerPickup>
          <shar:ContactDetails>
            <shar:attentionTo>Jane Doe</shar:attentionTo>
            <shar:companyName>Test Company</shar:companyName>
            <shar:address1>6 Neshaminy Interplex Dr</shar:address1>
            <shar:address2>Suite 12</shar:address2>
            <shar:address3></shar:address3>
            <shar:city>Trevose</shar:city>
            <shar:region>PA</shar:region>
            <shar:postalCode>19053</shar:postalCode>
          </shar:ContactDetails>
        </shar:ShipTo>
      </shar:Shipment>
    </ns:ShipmentArray>
  <ns:LineItemArray>
    <ns:LineItem>
      <ns:lineNumber>1</ns:lineNumber>
      <shar:description>New Line Item</shar:description>
      <ns:lineType>New</ns:lineType>
      <shar:fobId>CC</shar:fobId>
```

```

    <shar:ToleranceDetails>
      <shar:tolerance>AllowUnderrun</shar:tolerance>
    </shar:ToleranceDetails>
    <ns:allowPartialShipments>TRUE</ns:allowPartialShipments>
    <ns:linelitemTotal>1</ns:linelitemTotal>
    <shar:productId></shar:productId>
    <ns:PartArray>
      <shar:Part>
<shar:partGroup>1</shar:partGroup>
      <shar:partId>B000A4574</shar:partId>
      <shar:customerSupplied>FALSE</shar:customerSupplied>
      <shar:Quantity>
        <shar:uom>EA</shar:uom>
        <shar:value>1</shar:value>
      </shar:Quantity>
      </shar:Part>
    </ns:PartArray>
  </ns:Linelitem>
</ns:LinelitemArray>
  <ns:termsAndConditions>TAndC</ns:termsAndConditions>
  <ns:salesChannel></ns:salesChannel>
</ns:PO>
</ns:SendPORequest>
</soapenv:Body>
</soapenv:Envelope>

```

Successful Response Sample:

```

<SOAP-ENV:Envelope xmlns:SOAP-
ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:ns1="http://www.promostandards.org/WSDL/PO/1.0.0/">
  <SOAP-ENV:Body>
    <ns1:SendPOResponse>
      <ns1:transactionId>97503324</ns1:transactionId>
    </ns1:SendPOResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>

```

Appendix Q

sendPO Parameters (Configured)

Object	Field	Example
sendPORequest	wsVersion	1.0.0

sendPORequest	id	yourweblogin
sendPORequest	password	yourwebpw
sendPORequest	PO	
PO	orderType	Configured
PO	orderNumber	12345
PO	orderDate	2021-05-19
PO	lastModified*	2020-01-11
PO	totalAmount	100
PO	rush	FALSE
PO	currency	USD
PO	termsAndConditions	Terms
PO	DigitalProof*	
DigitalProofAddressArray	DigitalProofAddress	
DigitalProofAddress	type	Webservice
DigitalProofAddress	email	jsmith@gmail.com
DigitalProofAddress	lineItemGroupingId	1
DigitalProof	required	TRUE
PO	OrderContactArray*	
OrderContactArray	Contact	
Contact	accountName	Johns Shirts
Contact	accountNumber	1234567
Contact	contactType	Sales
Contact	ContactDetails	
ContactDetails	attentionTo	John Smith
ContactDetails	companyName	Johns Shirts Inc
ContactDetails	address1	123 JFK Blvd
ContactDetails	address2	Apt 123

ContactDetails	city	Philadelphia
ContactDetails	region	PA
ContactDetails	postalCode	19103
ContactDetails	country	USD
ContactDetails	email	jsmith@gmail.com
ContactDetails	phone	2675854412
PO	ShipmentArray	
Shipment	shipReferences	1234565
Shipment	ThirdPartyAccount	
ThirdPartyAccount	accountName	John Shirts
ThirdPartyAccount	accountNumber	1234567
ThirdPartyAccount	ContactDetails	
ContactDetails	See Above	
Shipment	ShipTo	
ShipTo	customerPickup	FALSE
ShipTo	shipmentId	1
ShipTo	ContactDetails	
ContactDetails	See Above	
Shipments	packingListRequired	FALSE
Shipments	blindShip	FALSE
Shipments	allowConsolidation	FALSE
Shipments	comments*	
Shipments	FreightDetails	
FreightDetails	carrier	UPS-Surface
PO	LineItemArray	
LineItem	lineNumber	1
LineItem	description	First Line Item

LineItem	lineType	New
LineItem	fobId*	CC
LineItem	Quantity	
Quantity	uom	EA
Quantity	value	25
LineItem	ToleranceDetails	
ToleranceDetails	uom	Quantity
ToleranceDetails	value	0
ToleranceDetails	tolerance	AllowUnderrun
LineItem	allowPartialShipments	TRUE
LineItem	lineItemTotal	0
LineItem	productId*	B000A4574
LineItem	requestedShipDate	2019-02-21
LineItem	requestedInHandsDate	2019-02-21
LineItem	PartArray	
Part	partGroup	1
Part	partId	B000A4574
Part	customerPartId*	Gdan100
Part	customerSupplied	TRUE
Part	Quantity	
Quantity	value	10
Quantity	uom	EA
LineItem	Configuration	
LocationArray	Location	
Location	locationName*	Front
Location	locationLinkId	1
Location	locationId	24

Location	DecorationArray	
Decoration	decorationName*	Heatseal
Decoration	decorationId	2
Decoration	Artwork	
Artwork	refArtworkId*	S-53255
Artwork	ArtworkFileArray	
ArtworkFile	fileName	123.png
ArtworkFile	artworkType	VirtualProof
ArtworkFile	transportMechanism	URL
ArtworkFile	fileLocation	https://www.alphabroder.com
Artwork	Dimensions	
Dimensions	diameter*	2
Dimensions	height	2
Dimensions	width	2
Dimensions	useMaxLocationDimensions	TRUE
Dimensions	geometry	Other
Artwork	Layers*	
Layers	colorSystem*	Pms
Layers	LayerOrStopArray*	
LayerOrStop	color*	FF0000
LayerOrStop	nameOrNumber*	1
Configuration	preProductionProof	TRUE
PO	termsAndConditions	String

sendPO Sample Request (Configured)

```

<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/"
  xmlns:ns1="http://www.promostandards.org/WSDL/PO/1.0.0/SharedObjects/"
  xmlns:ns2="http://www.promostandards.org/WSDL/PO/1.0.0/">
  <SOAP-ENV:Body>
    <ns2:SendPORequest>
  
```

```
<ns1:wsVersion>1.0.0</ns1:wsVersion>
<ns1:id>XXXXX</ns1:id>
<ns1:password>XXXXX</ns1:password>
<ns2:PO>
  <ns2:orderType>Configured</ns2:orderType>
  <ns2:orderNumber>sp_w_vector_000</ns2:orderNumber>
  <ns2:orderDate>2019-08-30</ns2:orderDate>
  <ns2:totalAmount>0.00</ns2:totalAmount>
  <ns2:rush>>false</ns2:rush>
  <ns1:currency>USD</ns1:currency>
  <ns2:ShipmentArray>
    <ns1:Shipment>
      <ns1:packingListRequired>FALSE</ns1:packingListRequired>
      <ns1:blindShip>FALSE</ns1:blindShip>
      <ns1:allowConsolidation>FALSE</ns1:allowConsolidation>
      <ns1:FreightDetails>
        <ns1:carrier>UPS</ns1:carrier>
        <ns1:service>Surface</ns1:service>
      </ns1:FreightDetails>
      <ns1:ShipTo>
        <ns1:customerPickup>>false</ns1:customerPickup>
        <ns1:shipmentId>1</ns1:shipmentId>
        <ns1:ContactDetails>
          <shar:attentionTo>Test</shar:attentionTo>
          <shar:companyName> Client</shar:companyName>
          <shar:address1>6 Neshaminy Interplex Dr</shar:address1>
          <shar:address2>Addressline 2</shar:address2>
          <shar:address3></shar:address3>
          <shar:city>Trevose</shar:city>
          <shar:region>PA</shar:region>
          <shar:postalCode>19053</shar:postalCode>
          <ns1:email>example@gmail.com</ns1:email>
          <ns1:comments>n/a</ns1:comments>
        </ns1:ContactDetails>
      </ns1:ShipTo>
    </ns1:Shipment>
  </ns2:ShipmentArray>
  <ns2:LineItemArray>
    <ns2:LineItem>
      <ns2:lineNumber>1</ns2:lineNumber>
      <ns2:description>decorated shirts</ns2:description>
      <ns2:lineType>New</ns2:lineType>
      <ns1:ToleranceDetails>
        <ns1:tolerance>ExactOnly</ns1:tolerance>
      </ns1:ToleranceDetails>
```

```

<ns2:allowPartialShipments>TRUE</ns2:allowPartialShipments>
<ns2:lineItemTotal>21.00</ns2:lineItemTotal>
<ns2:requestedShipDate>2021-02-21</ns2:requestedShipDate>
<ns2:PartArray>
  <ns2:Part>
    <ns2:partId>B11007003</ns2:partId>
    <ns2:customerPartId></ns2:customerPartId>
    <ns2:customerSupplied>FALSE</ns2:customerSupplied>
    <ns2:Quantity>
      <ns2:uom>EA</ns2:uom>
      <ns2:value>1</ns2:value>
    </ns2:Quantity>
  </ns2:Part>
</ns2:PartArray>
  <ns2:Configuration>
<ns2:LocationArray>
  <ns2:Location>
    <ns2:locationLinkId>1</ns2:locationLinkId>
    <ns2:locationId>9</ns2:locationId>
    <ns2:DecorationArray>
      <ns2:Decoration>
        <ns2:decorationId>3</ns2:decorationId>
        <ns2:Artwork>
          <ns2:refArtworkId></ns2:refArtworkId>
          <ns2:Dimensions>
            <ns2:geometry>Other</ns2:geometry>
          </ns2:Dimensions>
        </ns2:Artwork>
      </ns2:Decoration>
    </ns2:DecorationArray>
  </ns2:Location>
</ns2:LocationArray>
  <ns2:useMaxLocationDimensions>FALSE</ns2:useMaxLocationDimensions>
  <ns2:height>2</ns2:height>
  <ns2:width>2</ns2:width>
</ns2:Dimensions>
  <ns2:ArtworkFileArray>
    <ns2:ArtworkFile>
      <ns2:fileName>123.png</ns2:fileName>
      <ns2:fileLocation> https://www.alphabroder.com </ns2:fileLocation>
      <ns2:transportMechanism>URL</ns2:transportMechanism>
      <ns2:artworkType>ProductionReady</ns2:artworkType>
    </ns2:ArtworkFile>
  </ns2:ArtworkFileArray>
</ns2:Artwork>
  </ns2:Decoration>
</ns2:DecorationArray>
</ns2:Location>
</ns2:LocationArray>
<ns2:preProductionProof>False</ns2:preProductionProof>

```

```
</ns2:Configuration>  
</ns2:LineItem>  
</ns2:LineItemArray>  
<ns2:termsAndConditions>Terms and conditions tbd</ns2:termsAndConditions>  
</ns2:PO>  
</ns2:SendPORequest>  
</SOAP-ENV:Body>  
</SOAP-ENV:Envelope>
```